


IMPORTANT!
Ayrton Rivale are going to be the Ayrton Strandale.

Floor set: (ON REQUEST!)

- 12x Martin Quantum Profile
- 10x Robe DL4F wash
- 10x Robe DL4x Spot
- 8x Robe 100 ledwash
- 4x Chauvet Colorstrike M
- 4x Martin Atomic 3000
- 2x ACL set
- 2x 4 Light blinders
- 6x Floorpar

Symbol key

- | | | |
|-----------------------|-------------------------------|-------------|
| Par 64 (16) | Par 64 (8) | 2-Light (3) |
| Nando 502 Wash (10) | Location Fresnel 1000L-HM (4) | |
| Rivale Profile (10) | Color Strike M (4) | |
| Par 56 Short LED (10) | EclCyclorama 050 (3) | |

Layer key

- ACL
- Atomic 3000
- Ayrton Nando 502
- Ayrton Strandale
- Blind
- Chauvet Colorstrike M
- Default layer
- Extenders
- Ledpar
- Parren
- PC
- Prolight Cyclorama 050

Project

Second Stage lights 2025


Project location

Effenaar

Drawing author

Melissa





Symbol key

Outdoor Par 14 RGB (12)

EVE P-100 WW (6)

Rivale Profile (6)

Nando 502 Wash (6)

Location Fresnel 1000L-HM (4)

Dataflash AF 1000 (2)

Atomic 3000 (1)

Layer key

Atomic 3000

Ayrton nando 502

Ayrton Strandale

Data flash

Default layer

EVE 100 fresnel

Ledpar

PC

Truss

IMPORTANT:

The Ayrton Rivale are going to be Ayrton Strandale.

Project

Second Stage venue lights 2025

Project location

Effenaar

Drawing author

Melissa

Effenaar Patch Second Stage 2025-2026



Per 20-8-2025

Channel	Adress	Fixture	Place	Mode	Footprint	Extra*
1	1.1	Par 64	Lx 1		1	
2	1.2	Par 64	Lx 1		1	
3	1.3	Par 64	Lx 1		1	
4	1.4	Par 64	Lx 1		1	
5	1.5	Par 64	Lx 2		1	
6	1.6	Par 64	Lx 2		1	
7	1.7	Par 64	Lx 2		1	
8	1.8	Par 64	Lx 2		1	
9	1.9	Acl	Lx 1		1	
10	1.10	Acl	Lx 2		1	
11	1.11	Cateye blinder	Lx 1		1	
12	1.12	Cateye blinder	Lx 1		1	
13	1.13	Cateye blinder	Lx 1		1	
14	1.14	PC	Lx 1 House		1	
15	1.15	PC	Lx 1 House		1	
16	1.16	PC	Lx 1 House		1	
17	1.17	PC	Lx 1 House		1	
18	1.18	Par/Acl/Blinder	Floor		1	
19	1.19	Par/Acl/Blinder	Floor		1	
20	1.20	Par/Acl/Blinder	Floor		1	
21	1.21	Par/Acl/Blinder	Floor		1	
22	1.22	Par/Acl/Blinder	Floor		1	
23	1.23	Par/Acl/Blinder	Floor		1	
24	1.24	Par/Acl/Blinder	Floor		1	
25	1.25	Par/Acl/Blinder	Floor		1	
301	2.1	Chauvet Colorstrike M	Lx 1	30 Ch	30	
302	2.31	Chauvet Colorstrike M	Lx 1	30 Ch	30	
303	3.1	Chauvet Colorstrike M	Lx 2	30 Ch	30	
304	3.31	Chauvet Colorstrike M	Lx 2	30 Ch	30	
309	x.241	Chauvet colorstrike M	Floor	30ch	30	*
310	x.271	Chauvet colorstrike M	Floor	30ch	30	*
311	x.301	Chauvet colorstrike M	Floor	30ch	30	*
312	x.331	Chauvet colorstrike M	Floor	30ch	30	*
321	x.362	Martin Atomic 3000	Floor	SFX 4 channel	4	*
322	x.366	Martin Atomic 3000	Floor	SFX 4 channel	4	*
323	x.370	Martin Atomic 3000	Floor	SFX 4 channel	4	*
324	x.374	Martin Atomic 3000	Floor	SFX 4 channel	4	*

* Ask pre production for availability

Channel	Address	Fixture	Place	Mode	Footprint
101	2.61	Strandale Profile	Lx 1 Stage	65CH	65
102	2.126	Strandale Profile	Lx 1 Stage	65CH	65
103	2.191	Strandale Profile	Lx 1 Stage	65CH	65
104	2.256	Strandale Profile	Lx 1 Stage	65CH	65
105	3.61	Strandale Profile	Lx 2 Stage	65CH	65
106	3.126	Strandale Profile	Lx 2 Stage	65CH	65
107	3.191	Strandale Profile	Lx 2 Stage	65CH	65
108	3.256	Strandale Profile	Lx 2 Stage	65CH	65
109	4.1	Strandale Profile	Lx 1 house	65CH	65
110	4.66	Strandale Profile	Lx 1 house	65CH	65
111	5.1	Strandale Profile	Lx 2 house	65CH	65
112	5.66	Strandale Profile	Lx 2 house	65CH	65
113	6.1	Strandale Profile	Lx 3 house	65CH	65
114	6.66	Strandale Profile	Lx 3 house	65CH	65
201	2.321	Ayrton nando 502	Lx 1 Stage	Extended Ring	46
202	2.367	Ayrton nando 502	Lx 1 Stage	Extended Ring	46
203	2.413	Ayrton nando 502	Lx 1 Stage	Extended Ring	46
204	2.459	Ayrton nando 502	Lx 1 Stage	Extended Ring	46
205	3.321	Ayrton nando 502	Lx 2 Stage	Extended Ring	46
206	3.367	Ayrton nando 502	Lx 2 Stage	Extended Ring	46
207	3.413	Ayrton nando 502	Lx 2 Stage	Extended Ring	46
208	3.459	Ayrton nando 502	Lx 2 Stage	Extended Ring	46
209	4.196	Ayrton nando 502	Lx 1 House	Extended Ring	46
210	4.242	Ayrton nando 502	Lx 1 House	Extended Ring	46
211	5.196	Ayrton nando 502	Lx 2 House	Extended Ring	46
212	5.242	Ayrton nando 502	Lx 2 House	Extended Ring	46
213	6.196	Ayrton nando 502	Lx 3 House	Extended Ring	46
214	6.242	Ayrton nando 502	Lx 3 House	Extended Ring	46
501	4.308	ChauvetDJ EVE P-100 ww	Lx 1 House	2ch	2
502	4.310	ChauvetDJ EVE P-100 ww	Lx 1 House	2ch	2
503	5.400	ChauvetDJ EVE P-100 ww	Lx 2 House	2ch	2
504	5.402	ChauvetDJ EVE P-100 ww	Lx 2 House	2ch	2
505	6.308	ChauvetDJ EVE P-100 ww	Lx 3 House	2ch	2
506	6.310	ChauvetDJ EVE P-100 ww	Lx 3 House	2ch	2

Channel	Address	Fixture	Place	Mode	Footprint
401	4.320	Outdoor par 14 RGB	Lx 1 Stage	5 Ch	5
402	4.325	Outdoor par 14 RGB	Lx 1 Stage	5 Ch	5
403	4.330	Outdoor par 14 RGB	Lx 1 Stage	5 Ch	5
404	4.335	Outdoor par 14 RGB	Lx 1 Stage	5 Ch	5
405	4.340	Outdoor par 14 RGB	Lx 2 stage	5 Ch	5
406	4.345	Outdoor par 14 RGB	Lx 2 stage	5 Ch	5
407	4.288	Outdoor par 14 RGB	Lx 1 house	5 Ch	5
408	4.293	Outdoor par 14 RGB	Lx 1 house	5 Ch	5
409	4.298	Outdoor par 14 RGB	Lx 1 house	5 Ch	5
410	4.303	Outdoor par 14 RGB	Lx 1 house	5 Ch	5
411	5.380	Outdoor par 14 RGB	Lx 2 house	5 Ch	5
412	5.385	Outdoor par 14 RGB	Lx 2 house	5 Ch	5
413	5.390	Outdoor par 14 RGB	Lx 2 house	5 Ch	5
414	5.395	Outdoor par 14 RGB	Lx 2 house	5 Ch	5
415	6.288	Outdoor par 14 RGB	Lx 3 house	5 Ch	5
416	6.293	Outdoor par 14 RGB	Lx 3 house	5 Ch	5
417	6.298	Outdoor par 14 RGB	Lx 3 house	5 Ch	5
418	6.303	Outdoor par 14 RGB	Lx 3 house	5 Ch	5
325	4.312	Martin Atomic 3000	Lx 1 House	4ch	4
326	6.312	High end Dataflash AF1000	Lx 3 house	3ch	3
327	6.315	High end Dataflash AF1000	Lx 3 house	3ch	3
601	4.365	Prolights exlCyclorama 015	Lx 2 stage	Tour 15 channel	15
602	4.380	Prolights exlCyclorama 015	Lx 2 stage	Tour 15 channel	15
603	4.395	Prolights exlCyclorama 015	Lx 2 stage	Tour 15 channel	15

Floor/Extra set

Channel	Address	Fixture	Place	Mode	Footprint	
901	10.1	Martin Quantum Profile	Extra	Extended	27	*
902	10.28	Martin Quantum Profile	Extra	Extended	27	*
903	10.55	Martin Quantum Profile	Extra	Extended	27	*
904	10.82	Martin Quantum Profile	Extra	Extended	27	*
905	10.109	Martin Quantum Profile	Extra	Extended	27	*
906	10.136	Martin Quantum Profile	Extra	Extended	27	*
907	10.163	Martin Quantum Profile	Extra	Extended	27	*
908	10.190	Martin Quantum Profile	Extra	Extended	27	*
1001	11.1	Robe DL4 F wash	Extra	Mode 1	29	*
1002	11.30	Robe DL4 F wash	Extra	Mode 1	29	*
1003	11.59	Robe DL4 F wash	Extra	Mode 1	29	*
1004	11.88	Robe DL4 F wash	Extra	Mode 1	29	*
1005	11.117	Robe DL4 F wash	Extra	Mode 1	29	*
1006	11.149	Robe DL4 F wash	Extra	Mode 1	29	*
1007	11.178	Robe DL4 F wash	Extra	Mode 1	29	*
1008	11.207	Robe DL4 F wash	Extra	Mode 1	29	*
1101	12.1	Robe DLX Profile	Extra	Mode 1	35	*
1102	12.36	Robe DLX Profile	Extra	Mode 1	35	*
1103	12.71	Robe DLX Profile	Extra	Mode 1	35	*
1104	12.106	Robe DLX Profile	Extra	Mode 1	35	*
1105	12.141	Robe DLX Profile	Extra	Mode 1	35	*
1106	12.176	Robe DLX Profile	Extra	Mode 1	35	*
1107	12.211	Robe DLX Profile	Extra	Mode 1	35	*
1108	12.246	Robe DLX Profile	Extra	Mode 1	35	*

*** Ask pre production for availability**

Floor/Extra set

Channel	Address	Fixture	Place	Mode	Footprint	
1201	11.285	Robe ledwash 100	Extra	Mode 2	19	*
1202	11.304	Robe ledwash 100	Extra	Mode 2	19	*
1203	11.323	Robe ledwash 100	Extra	Mode 2	19	*
1204	11.342	Robe ledwash 100	Extra	Mode 2	19	*
1205	11.361	Robe ledwash 100	Extra	Mode 2	19	*
1206	11.380	Robe ledwash 100	Extra	Mode 2	19	*
1207	11.399	Robe ledwash 100	Extra	Mode 2	19	*
1208	11.418	Robe ledwash 100	Extra	Mode 2	19	*
1301	13.1	Prolights Lumipix 12Q tour	Extra	49CH	49CH	*
1302	13.50	Prolights Lumipix 12Q tour	Extra	49CH	49CH	*
1303	13.99	Prolights Lumipix 12Q tour	Extra	49CH	49CH	*
1304	13.148	Prolights Lumipix 12Q tour	Extra	49CH	49CH	*
1305	13.197	Prolights Lumipix 12Q tour	Extra	49CH	49CH	*
1306	13.246	Prolights Lumipix 12Q tour	Extra	49CH	49CH	*
1307	13.295	Prolights Lumipix 12Q tour	Extra	49CH	49CH	*
1308	13.344	Prolights Lumipix 12Q tour	Extra	49CH	49CH	*
1309	13.393	Prolights Lumipix 12Q tour	Extra	49CH	49CH	*
1310	13.442	Prolights Lumipix 12Q tour	Extra	49CH	49CH	*
1311	14.1	Prolights Lumipix 12Q tour	Extra	49CH	49CH	*
1312	14.50	Prolights Lumipix 12Q tour	Extra	49CH	49CH	*
1313	14.99	Prolights Lumipix 12Q tour	Extra	49CH	49CH	*
1314	14.148	Prolights Lumipix 12Q tour	Extra	49CH	49CH	*

*** Ask pre production for availability**

Stage Specifications

		Width Meter / imp	Depth Meter / imp	height Meter / imp	Clearance (max) Meter / imp	Amount
Total	incl sidewings	11m / 36'1"	5m / 16'5"	1m / 3'11"	8m / 22'12"	
	Stage opening	7m / 22'11"	4,5m / 15'9"	Variable	Variable	
	Stage decks	2m / 6'7"	1m / 3'4"	Variable 20 cm/8inc to 1m / 3'4"		6

Lighting Specifications					Stage	
Count	Manufacturer	Mode	Type	Dmx	location	Per truss
8	Ayrton	Extended	Strandale	65	Lx 1	4
					Lx 2	4
8	Ayrton	Extended ring	Nando 502	46	Lx 1	4
					Lx 2	4
4	Chauvet	30 Channel	Colorstrike M	30	Lx 1	2
					Lx 2	2
3	Generic		Cateye blinders	1	Lx 1	3
2	Generic		ACL set	1	Lx 1	1
					Lx 2	1
8	Generic		Par 64 long nose	1	Lx 1	4
					Lx 2	4
6	Lights inc	Ar.1 S	Outdoor ledpar 14 rgbw	5	Lx 1	4
					Lx 2	2
3	Prolights	15ch (tour)	ECL Cyclorama 050	15	Lx 2	3
4	Generic		FHR-1000 fresnel	1	Lx 1 house	4
1	MDG		AtMe	3	T.b.c.	1

Lighting Specifications					Venue	
Count	Manufacturer	Mode	Type	Dmx	location	Per truss
6	Ayrton	65 Channel	Strandale profile	65	Lx 1 House	2
					Lx 2 House	2
					Lx 3 House	2
6	Ayrton	Extended ring	Nando 502	46	Lx 1 House	2
					Lx 2 House	2
					Lx 3 House	2
6	Chauvet	2channel	EVE P-100 ww	2	Lx 1 House	2
					Lx 2 House	2
					Lx 3 House	2
12	Light inc	Ar. 1 s	Outdoor par 14 RGB	5	Lx 1 House	4
					Lx 2 House	4
					Lx 3 House	4
2	High end	3channel	Dataflash AF1000	3	Lx 3 House	2

Lighting Specifications					Extra / Floorset	
Count	Manufacturer	Mode	Type	Dmx	location	Per truss
12	Martin	Extended	Quantum profile	27	Main Hall *	8
					Second stage *	4
10	Robe	Mode 1	DLF wash	29	Main Hall *	6
					Second stage *	4
8	Robe	Mode 2	Ledbeam 100	19	Main Hall *	8
					Second stage *	8
10	Robe	Mode 1	DL4x Profile	35	Main Hall *	6
					Second stage *	4

Lighting Specifications					Extra / Floorset	
Count	Manufacturer	Mode	Type	Dmx	location	Per truss
4	Ayrton	Extended	Rivale	65	Main Hall *	4
					Second stage *	4
4	Ayrton	Extended	Nando 502	46	Main Hall *	4
					Second stage *	4
4	Chauvet	30 channel	Colorstrike M	30	Main Hall *	4
					Second stage *	2
2	Generic		Acl set	1	Main Hall *	2
					Second stage *	1
12	generic		Par short nose	1	Main Hall *	6
					Second stage *	6
2	Look solutions		Viper NT	1	Main Hall *	1
					Second stage *	1
14	Prolight	49 channel	Lumpix 12Q tour	49	Main Hall *	8
					Second stage *	6
4	Martin	3 channel	Atomic 3000	4	Main Hall *	4
					Second stage *	4

Lighting specifications			Control
Amount	Manufacturer	Type	Specifications
1	ma lighting	Grand Ma3 light	16384 parameters
1	Ma lighting	touring dimmer	12 x 2,3 kW
1	Strand lighting	LD90 Dimmer	12 x 2,3 kW

Network settings			Control
		Ip Address	Subnet mask
House	GrandMa 3 light	192.168.021 .100	255.255.000.000
Visitor		192.168.021 .xxx	255.255.000.000